

PKTY GŁÓWNE	PIKIETAŻ	RZĘDNA	PROMIEN	STYCZNA	STRZAŁKA	SPADEK%	RÓŻNICA%
<hr/>							
ZAŁOM z1	0.00	55.03	0	0.00	0.00	1.9474	
ZAŁOM z1.1	19.00	55.40	0	0.00	0.00	1.0714	-0.8759
ZAŁOM z2	47.00	55.70	0	0.00	0.00	0.1176	-0.9538
PL	69.52	55.73					
ZAŁOM z3	72.50	55.73	-500	2.98	0.01	1.3091	1.1914
KL	75.48	55.77					
PL	95.66	56.03					
ZAŁOM z4	100.00	56.09	500	4.34	-0.02	-0.4262	-1.7353
EKSTR	102.21	56.08					
KL	104.34	56.07					
PL	126.65	55.98					
EKSTR	128.78	55.97					
ZAŁOM z5	130.50	55.96	-500	3.85	0.02	1.1139	1.5402
KL	134.35	56.00					
ZAŁOM z6	170.00	56.40	0	0.00	0.00	0.4528	-0.6611
PL	188.13	56.48					
EKSTR	190.39	56.49					
ZAŁOM z6a	196.50	56.52	500	8.37	-0.07	-2.8966	-3.3494
KL	204.87	56.28					
PL	207.70	56.20					
ZAŁOM z7	211.00	56.10	-450	3.30	0.01	-1.4286	1.4680
KL	214.30	56.05					
PL	214.87	56.05					
EKSTR	217.01	56.03					
ZAŁOM z8	218.00	56.00	-150	3.13	0.03	2.7473	4.1758
KL	221.13	56.09					
PL	233.17	56.42					
ZAŁOM z9	236.20	56.50	500	3.03	-0.01	1.5354	-1.2118
KL	239.23	56.55					
PL	283.60	57.23					
ZAŁOM z11	287.00	57.28	-500	3.40	0.01	2.8966	1.3611
KL	290.40	57.38					
PL	339.94	58.81					
ZAŁOM z12	345.00	58.96	500	5.07	-0.03	0.8704	-2.0262
KL	350.06	59.00					
ZAŁOM z13	399.00	59.43	0	0.00	0.00	1.5160	0.6456
PL	419.12	59.73					
ZAŁOM z14	436.60	60.00	-500	17.48	0.31	8.5082	6.9923
KL	454.08	61.49					
PL	518.59	66.98					
ZAŁOM z15	533.80	68.27	500	15.21	-0.23	2.4245	-6.0837
KL	549.01	68.64					
PL	626.66	70.52					
ZAŁOM z16	633.20	70.68	500	6.54	-0.04	-0.1913	-2.6158
EKSTR	638.78	70.67					
KL	639.74	70.67					
PL	722.61	70.51					
EKSTR	723.57	70.51					
ZAŁOM z17	727.30	70.50	-500	4.69	0.02	1.6840	1.8753
KL	731.99	70.58					
PL	809.85	71.89					
EKSTR	818.27	71.96					
ZAŁOM z18	823.50	72.12	500	13.65	-0.19	-3.7778	-5.4618
KL	837.15	71.60					
ZAŁOM z19	846.00	71.27	0	0.00	0.00	-4.0822	-0.3044

PL	877.29	69.99					
ZALOM z20	882.50	69.78	-500	5.21	0.03	-2.0000	2.0822
KL	887.71	69.68					
PL	892.03	69.59					
ZALOM z21	900.00	69.43	-500	7.97	0.06	1.1875	3.1875
EKSTR	902.03	69.49					
KL	907.97	69.53					
ZALOM z22	916.00	69.62	0	0.00	0.00	0.2000	-0.9875
PL	920.21	69.63					
ZALOM z23	931.00	69.65	-300	10.79	0.19	7.3929	7.1929
KL	941.79	70.45					
PL	946.84	70.82					
ZALOM z24	959.00	71.72	500	12.16	-0.15	2.5294	-4.8634
KL	971.16	72.03					
ZALOM z25	976.00	72.15	0	0.00	0.00	0.0000	